



Memorial Park Cemetery

Address: 3300 Memorial Park Lane
Prince George BC V2N0B5
Phone: Administration: 250-561-7500
Email: cemetery@princegeorge.ca

UPRIGHT GRAVE MARKER SPECIFICATIONS

One Adult Single Upright Gravespace:

Small Upright Marker:

- ❖ Base shall not exceed 36"(length)x 8" (height)x 12" (width)
- ❖ Upright marker shall not exceed 32" (length)x 8" (thick)x 36"(height)
The upright marker shall not exceed 36" in heights: this does not include the base height measurements.

Medium Pillow Marker:

- ❖ Base shall not exceed 36"(length)x 6" (height)x 24"(width)
- ❖ Slanted pillow marker shall not exceed 36" (length) x 6" (height) x 24" (width). This size will be flush to the base.

Medium Pillow Marker Slope:

- ❖ Height back – maximum (6")
- ❖ Height front – minimum (3")

The most common slanted pillow marker size for on top of a 36"x 6"x 24" base is 28" (length) x 6" (height) x 16" (width). This allows room on the base for a flower and/or candle holder.

Two Adult Single Gravespace Side by Side (sharing marker):

Large Upright Memorial

- ❖ Base shall not exceed 60"(length) x 8" (height) x 12" (width)
- ❖ Upright marker shall not exceed 48" (length) x 8" (thick) x 36" (height)
The upright marker shall not exceed 36" in height; this does not include the base height measurements

Large Pillow Marker

- ❖ Base shall not exceed 60" (length) x 6" (height) x 36" (width)
- ❖ Slant pillow memorials shall not exceed 60" (length) x 6" (height) x 36" (width). This size will be flush with the base.

Large Pillow Marker Slope

- ❖ Height back – maximum (6")
- ❖ Height front – minimum (3")
- ❖ The most common slanted pillow marker size for on top of a 60"x 6"x 36" base is 48" (length) x 6" (height) x 24" (width). This allows room on the base for a flower and/or candle holder.

❖

One Cremated Remains Gravespace:

Two cremation plots are required, at the head of the plot (straddling both cremation plots) in order for an upright marker.

- ❖ Base shall not exceed 36"(length x 8" (height) x 12" (width)
- ❖ Upright marker shall not exceed 32" (length) x 8" (thick)x 36" (height)

The upright marker shall not exceed 36" in height; this does not include the base height.

Sections 73 & 74 are flat marker sections only.

One Child or Infant Gravespace:

Child/Infant Upright Marker:

- ❖ Base shall not exceed 24" (length) x 6" (height) x 12" (width)
- ❖ Upright marker shall not exceed 20" (length) x 6" (thick) x 12" (height)

Child/Infant Pillow Marker

- ❖ Base shall not exceed 24" (length) x 6" (height) x 18" (width)
- ❖ Slant pillow marker shall not exceed 20" (length) x 6" (height) x 12" (width)

Pillow marker slope:

Height back – maximum (6")

Height front – minimum (3")

City of Prince George Cemetery Bylaw No. 8046, 2008

15. MEMORIALS

15.14 One upright memorial may be installed on each Adult Grave Space in the Cemetery provided the upright memorial conforms to the requirements of this Bylaw.

15.15 Each upright memorial:

- (a) shall be made of stone or bronze;

- (b) shall not exceed 61 cm (length) x 20 cm (thickness) x 91cm (height) (32" x 8" x 36") for a single Adult Grave Space and 121.9 cm (length) x 20 cm (thickness) x 91.5 cm (height) (48" x 8" x 36") for two (2) side by side Adult Grave Spaces;
- (c) shall be on a Granite Base which shall not exceed 91cm (length) x 20cm (height)x 30cm (width)(36"x 8" x 12") for an upright memorial on a Single Adult Grave Space. Two side by side Adult Grave Spaces shall not exceed 153cm (length) x 20cm (height) x 30cm (width) (60"x 8" x 12")
- (d) shall be glued and pinned (stainless steel pins) to the Base;
- (e) shall have all accessories physically attached to the memorial with a permanent adhesive and using a minimum pin size of 1.3 cm (½") diameter, extending a minimum of two inches into the accessory as well as a minimum of two inches into the memorial; and
- (f) shall not exceed a maximum height of 91.5 cm (36")and
- (g) shall not exceed 81cm (length) x 20cm (thickness)x 91.5cm (height) (32"x 8"x 36") for installation on a Grave Cover that complies with the specifications in this Bylaw under section 14.3

15.16 Each Pillow Upright Memorial:

- (a) shall be made of stone or bronze;
- (b) shall not exceed 91cm (length) x 15cm (thickness) x 61cm (width) (36" x6" x24") for a single Pillow Adult Grave Space and 152cm (length) x 15cm (thickness) x 91.5cm (width) (60" x 6" x 36") for two (2) side by side Pillow Adult Grave Spaces;
- (c) shall be on a Granite Base which shall not exceed 91cm (length) x 15cm (height) x 61cm (width) (36"x 6"x 24") for a single Pillow Adult Grave Space. Two side by side Pillow Adult Grave Spaces shall not exceed 153cm (length) x 15cm (height) x 91cm (width) (60"x 6"x 36");
- (d) shall have all accessories physically attached to the memorial with a permeant adhesive and suing a minimum pin size of 1.3cm (1/2") diameter, extending a minimum of two inches into the accessory as well as a minimum of two inches into the memorial and
- (e) shall have a slope of
 - a. height back maximum of 15cm (6"); and
 - b. height from minimum of 7cm (3").

15.17 Notwithstanding section 15.15 upright memorials in historic sites designated on the Cemetery plot plan may be replaced based on the dimensions fo the original memorial.

15.18 The Caretaker may arrange for the temporary removal of a memorial without permission of the interment rights holder if, during the excavation of an adjoining grave, the memorial is found to be a hazard to the safety of workers in the excavation or to gain access to a plot for grave site preparation, provided the memorial is replaced in its original position on the grave from which it was removed as soon as possible.