

CHANNEL HOOKUP

PLAYHOUSE 2022 729-22 (6)

PRINCE GEORGE PLAYHOUSE
PRINCE GEORGE BC

<u>Chan</u>	<u>Addr</u>	<u>Ckt</u>	<u>Position</u>	<u>U#</u>	<u>Purpose</u>	<u>Inst/Access/Watt</u>	<u>Color/Tmp</u>
(-)	-	-/-	STORAGE	1 STOR	-	Strand SL 36° 600w	-
			AGE				
	-	-/-	STORAGE	1 STOR	-	Strand SL 50° 600w	-
			AGE				
	-	-/-	STORAGE	5 STOR	-	Strand SL 19° 600w	-
			AGE				
	-	-/-	STORAGE	7 STOR	-	Strand Fresnelite 6"	-
			AGE			500w	
(2.31)	2.31	-/-	FOH 2	1	AREA 1	Ovation E 160WW 14° 103w	-
(2.32)	2.32	-/-	FOH 2	2	AREA 2	Ovation E 160WW 14° 103w	-
(2.33)	2.33	-/-	FOH 2	3	AREA 3	Ovation E 160WW 14° 103w	-
(2.52)	2.52	-/-	FOH 2	22	AREA 3	Ovation E 160WW 14° 103w	-
(2.53)	2.53	-/-	FOH 2	23	AREA 4	Ovation E 160WW 14° 103w	-
(2.54)	2.54	-/-	FOH 2	24	AREA 5	Ovation E 160WW 14° 103w	-
(7)	1.7	-/-	FOH 2	7	AREA 4	Strand SL 36° 600w	-
(8)	1.8	-/-	FOH 2	8	AREA 5	Strand SL 36° 600w	-
(9)	1.9	-/-	FOH 2	9	SP	Strand SL 36° 600w	-
(10)	1.10	-/-	FOH 2	10	SP	Strand SL 19° 600w	-
(11)	1.11	-/-	FOH 2	13	-	Strand SL 19° 600w	-
	-	-/-	FOH 2	13.1	-	2.6	-
(12)	1.12	-/-	FOH 2	12	-	Strand SL 19° 600w	-
	-	-/-	FOH 2	12.1	-	2.6	-
(19)	1.19	-/-	FOH 2	19	AREA 1	Strand SL 36° 600w	-
(20)	1.20	-/-	FOH 2	20	AREA 2	Strand SL 36° 600w	-
(21)	1.21	-/-	FOH 2	21	SP	Strand SL 36° 600w	-
(26)	1.26	-/-	FOH 1	26	TIP	Strand SL 19° 600w	-

<u>Chan</u>	<u>Addr</u>	<u>Ckt</u>	<u>Position</u>	<u>U#</u>	<u>Purpose</u>	<u>Inst/Access/Watt</u>	<u>Color/Tmp</u>
(28)	1.28	-/-	FOH 1	28	-	S4 PAR VNSP 575w	2.21
	-	-/-	FOH 1	28.1	-	2.24	-
(29)	1.29	-/-	FOH 1	29	AREA 6	Strand Fresnelite 6" 500w	-
(33)	1.33	-/-	FOH 1	33	SP	Strand Fresnelite 6" 500w	-
(34)	-	-/-	FOH 1	34	sp	Strand SL 36° 600w	-
(35)	1.35	-/-	FOH 1	35	-	S4 PAR VNSP 575w	2.22
	-	-/-	FOH 1	35.1	-	2.24	-
(36)	1.36	-/-	FOH 1	36	SP	Strand SL 50° 600w	-
(37)	1.37	-/-	FOH 1	37	CENTER AREA 8	Strand Fresnelite 6" 500w	-
(38)	1.38	-/-	FOH 1	38	-	S4 PAR VNSP 575w	2.23
	-	-/-	FOH 1	38.1	-	2.24	-
(40)	1.40	-/-	FOH 1	40	AREA 9	Strand Fresnelite 6" 500w	-
(44)	-	-/-	FOH 1	44	-	Strand Fresnelite 6" 500w	-
(45)	1.45	-/-	FOH 1	45	-	S4 PAR VNSP 575w	2.24
	-	-/-	FOH 1	45.1	-	2.24	-
(73)	1.74	-/-	BALCONY 3	73	-	Strand SL 19° 600w	-
(74)	1.73	-/-	BALCONY 1	74	-	Source-4 36° 575w	-
(75)	1.75	-/-	BALCONY 2	75	-	Strand SL 19° 600w	-
(77)	-	-/-	1ST ELE.	77	TIP	Strand SL 36° 600w	-
(79)	-	-/-	1ST ELE.	79	AREA 11	Strand Fresnelite 6" 500w	-
(80)	1.80	-/-	1ST ELE.	80	-	S4 PAR VNSP 575w	2.25
	-	-/-	1ST ELE.	80.1	-	2.24	-
(81)	1.81	-/-	1ST ELE.	81	-	Strand SL 50° 600w	-
(82)	1.82	-/-	1ST ELE.	82	-	Strand SL 19° 600w	-
(83)	1.83	-/-	1ST ELE.	83	AREA 12	Strand Fresnelite 6" 500w	-
(84)	1.84	-/-	1ST ELE.	84	SP	Strand SL 50° 600w	-
(85)	1.85	-/-	1ST ELE.	85	-	S4 PAR VNSP 575w	2.26
	-	-/-	1ST ELE.	85.1	-	2.24	-
(86)	1.86	-/-	1ST ELE.	86	-	Strand SL 26° 600w	-

<u>Chan</u>	<u>Addr</u>	<u>Ckt</u>	<u>Position</u>	<u>U#</u>	<u>Purpose</u>	<u>Inst/Access/Watt</u>	<u>Color/Tmp</u>
(87)	-	-/-	1ST ELE.	87	SP CENTER	Source-4 36° 575w	-
(89)	1.89	-/-	1ST ELE.	89	CENTER AREA 13	Strand Fresnelite 6" 500w	-
(90)	1.90	-/-	1ST ELE.	90	SP	Strand SL 19° 600w	-
(91)	1.91	-/-	1ST ELE.	91	-	S4 PAR VNSP 575w	2.27
	-	-/-	1ST ELE.	91.1	-	2.24	-
(92)	1.92	-/-	1ST ELE.	92	SP	Strand SL 36° 600w	-
(94)	1.94	-/-	1ST ELE.	94	AREA 14	Strand Fresnelite 6" 500w	-
(95)	1.95	-/-	1ST ELE.	95	-	S4 PAR VNSP 575w	2.28
	-	-/-	1ST ELE.	95.1	-	2.24	-
(97)	1.97	-/-	1ST ELE.	97	-	Strand Fresnelite 6" 500w	-
(100)	1.100	-/-	1ST ELE.	100	TIP	Strand SL 36° 600w	-
(101)	1.101	-/-	2ND ELE.	101	TIP	Strand SL 19° 600w	-
(102)	1.102	-/-	2ND ELE.	102	AREA 17	Strand Fresnelite 6" 500w	-
(105)	1.106	-/-	2ND ELE.	105	TIP	Strand SL 19° 600w	-
(106)	1.105	-/-	2ND ELE.	106	AREA 16 CENTER	Strand Fresnelite 6" 500w	-
(107)	1.107	-/-	2ND ELE.	107	AREA 19	Strand Fresnelite 6" 500w	-
(108)	1.08	-/-	2ND ELE.	108	TIP	Strand SL 19° 600w	-
(109)	1.109	-/-	2ND ELE.	109	TIP	Strand SL 36° 600w	-
(111)	1.111	-/-	2ND ELE.	111	CENTER SP	Strand SL 19° 600w	-
(112)	1.112	-/-	2ND ELE.	112	AREA 18	Strand Fresnelite 6" 500w	-
(113)	1.113	-/-	3RD ELE.	1131	CYC	Far CYC 1 Cell 1Kw	R 27
(114)	1.114	-/-	3RD ELE.	1141	CYC	Far CYC 1 Cell 1Kw	R 80
(115)	1.115	-/-	3RD ELE.	1151	CYC	Far CYC 1 Cell 1Kw	R 91
(116)	1.116	-/-	3RD ELE.	1161	CYC	Far CYC 1 Cell 1Kw	R 27
(117)	1.117	-/-	3RD ELE.	1171	CYC	Far CYC 1 Cell 1Kw	R 80
(118)	1.118	-/-	3RD ELE.	1181	CYC	Far CYC 1 Cell 1Kw	R 91
(121)	-	-/-	3RD ELE.	121	SP	Strand Fresnelite 6" 500w	-
(122)	1.122	-/-	3RD ELE.	1221	CYC	Far CYC 1 Cell 1Kw	R 27

<u>Chan</u>	<u>Addr</u>	<u>Ckt</u>	<u>Position</u>	<u>U#</u>	<u>Purpose</u>	<u>Inst/Access/Watt</u>	<u>Color/Tmp</u>
(123)	1.123	-/-	3RD ELE.	1231	CYC	Far CYC 1 Cell 1Kw	R 80
(124)	1.124	-/-	3RD ELE.	1241	CYC	Far CYC 1 Cell 1Kw	R 91

INSTRUMENT SCHEDULE

PRINCE GEORGE PLAYHOUSE

PLAYHOUSE 2022 729-22 (6)

PRINCE GEORGE BC

1ST ELE.

<u>U#</u>	<u>Chan</u>	<u>Addr</u>	<u>Ckt</u>	<u>Purpose</u>	<u>Inst/Access/Watt</u>	<u>Color/Tmp</u>
77	(77)	-	-/-	TIP	Strand SL 36° 600w	-
79	(79)	-	-/-	AREA 11	Strand Fresnelite 6" 500w	-
80	(80)	1.80	-/-	-	S4 PAR VNSP 575w	2.25
80.1	(80)	-	-/-	-	2.24	-
81	(81)	1.81	-/-	-	Strand SL 50° 600w	-
82	(82)	1.82	-/-	-	Strand SL 19° 600w	-
83	(83)	1.83	-/-	AREA 12	Strand Fresnelite 6" 500w	-
84	(84)	1.84	-/-	SP	Strand SL 50° 600w	-
85	(85)	1.85	-/-	-	S4 PAR VNSP 575w	2.26
85.1	(85)	-	-/-	-	2.24	-
86	(86)	1.86	-/-	-	Strand SL 26° 600w	-
87	(87)	-	-/-	SP CENTER	Source-4 36° 575w	-
89	(89)	1.89	-/-	CENTER AREA 13	Strand Fresnelite 6" 500w	-
90	(90)	1.90	-/-	SP	Strand SL 19° 600w	-
91	(91)	1.91	-/-	-	S4 PAR VNSP 575w	2.27
91.1	(91)	-	-/-	-	2.24	-
92	(92)	1.92	-/-	SP	Strand SL 36° 600w	-
94	(94)	1.94	-/-	AREA 14	Strand Fresnelite 6" 500w	-
95	(95)	1.95	-/-	-	S4 PAR VNSP 575w	2.28
95.1	(95)	-	-/-	-	2.24	-
97	(97)	1.97	-/-	-	Strand Fresnelite 6" 500w	-
100	(100)	1.100	-/-	TIP	Strand SL 36° 600w	-

2ND ELE.

<u>U#</u>	<u>Chan</u>	<u>Addr</u>	<u>Ckt</u>	<u>Purpose</u>	<u>Inst/Access/Watt</u>	<u>Color/Tmp</u>
101	(101)	1.101	-/-	TIP	Strand SL 19° 600w	-
102	(102)	1.102	-/-	AREA 17	Strand Fresnelite 6" 500w	-
105	(105)	1.106	-/-	TIP	Strand SL 19° 600w	-
106	(106)	1.105	-/-	AREA 16 CENTER	Strand Fresnelite 6" 500w	-
107	(107)	1.107	-/-	AREA 19	Strand Fresnelite 6" 500w	-
108	(108)	1.08	-/-	TIP	Strand SL 19° 600w	-
109	(109)	1.109	-/-	TIP	Strand SL 36° 600w	-
111	(111)	1.111	-/-	CENTER SP	Strand SL 19° 600w	-
112	(112)	1.112	-/-	AREA 18	Strand Fresnelite 6" 500w	-

3RD ELE.

<u>U#</u>	<u>Chan</u>	<u>Addr</u>	<u>Ckt</u>	<u>Purpose</u>	<u>Inst/Access/Watt</u>	<u>Color/Tmp</u>
121	(121)	-	-/-	SP	Strand Fresnelite 6" 500w	-
1131	(113)	1.113	-/-	CYC	Far CYC 1 Cell 1Kw	R 27
1141	(114)	1.114	-/-	CYC	Far CYC 1 Cell 1Kw	R 80
1151	(115)	1.115	-/-	CYC	Far CYC 1 Cell 1Kw	R 91
1161	(116)	1.116	-/-	CYC	Far CYC 1 Cell 1Kw	R 27
1171	(117)	1.117	-/-	CYC	Far CYC 1 Cell 1Kw	R 80
1181	(118)	1.118	-/-	CYC	Far CYC 1 Cell 1Kw	R 91
1221	(122)	1.122	-/-	CYC	Far CYC 1 Cell 1Kw	R 27
1231	(123)	1.123	-/-	CYC	Far CYC 1 Cell 1Kw	R 80
1241	(124)	1.124	-/-	CYC	Far CYC 1 Cell 1Kw	R 91

BALCONY 1

<u>U#</u>	<u>Chan</u>	<u>Addr</u>	<u>Ckt</u>	<u>Purpose</u>	<u>Inst/Access/Watt</u>	<u>Color/Tmp</u>
74	(74)	1.73	-/-	-	Source-4 36° 575w	-

BALCONY 2

<u>U#</u>	<u>Chan</u>	<u>Addr</u>	<u>Ckt</u>	<u>Purpose</u>	<u>Inst/Access/Watt</u>	<u>Color/Tmp</u>
75	(75)	1.75	-/-	-	Strand SL 19° 600w	-

BALCONY 3

<u>U#</u>	<u>Chan</u>	<u>Addr</u>	<u>Ckt</u>	<u>Purpose</u>	<u>Inst/Access/Watt</u>	<u>Color/Tmp</u>
73	(73)	1.74	-/-	-	Strand SL 19° 600w	-

FOH 1

<u>U#</u>	<u>Chan</u>	<u>Addr</u>	<u>Ckt</u>	<u>Purpose</u>	<u>Inst/Access/Watt</u>	<u>Color/Tmp</u>
26	(26)	1.26	-/-	TIP	Strand SL 19° 600w	-
28	(28)	1.28	-/-	-	S4 PAR VNSP 575w	2.21
28.1	(28)	-	-/-	-	2.24	-
29	(29)	1.29	-/-	AREA 6	Strand Fresnelite 6" 500w	-
33	(33)	1.33	-/-	SP	Strand Fresnelite 6" 500w	-
34	(34)	-	-/-	sp	Strand SL 36° 600w	-
35	(35)	1.35	-/-	-	S4 PAR VNSP 575w	2.22
35.1	(35)	-	-/-	-	2.24	-
36	(36)	1.36	-/-	SP	Strand SL 50° 600w	-
37	(37)	1.37	-/-	CENTER AREA 8	Strand Fresnelite 6" 500w	-
38	(38)	1.38	-/-	-	S4 PAR VNSP 575w	2.23
38.1	(38)	-	-/-	-	2.24	-
40	(40)	1.40	-/-	AREA 9	Strand Fresnelite 6" 500w	-
44	(44)	-	-/-	-	Strand Fresnelite 6" 500w	-
45	(45)	1.45	-/-	-	S4 PAR VNSP 575w	2.24
45.1	(45)	-	-/-	-	2.24	-

FOH 2

<u>U#</u>	<u>Chan</u>	<u>Addr</u>	<u>Ckt</u>	<u>Purpose</u>	<u>Inst/Access/Watt</u>	<u>Color/Tmp</u>
1	(2.31)	2.31	-/-	AREA 1	Ovation E 160WW 14° 103w	-
2	(2.32)	2.32	-/-	AREA 2	Ovation E 160WW 14° 103w	-
3	(2.33)	2.33	-/-	AREA 3	Ovation E 160WW 14° 103w	-
7	(7)	1.7	-/-	AREA 4	Strand SL 36° 600w	-
8	(8)	1.8	-/-	AREA 5	Strand SL 36° 600w	-
9	(9)	1.9	-/-	SP	Strand SL 36° 600w	-
10	(10)	1.10	-/-	SP	Strand SL 19° 600w	-
12	(12)	1.12	-/-	-	Strand SL 19° 600w	-
12.1	(12)	-	-/-	-	2.6	-
13	(11)	1.11	-/-	-	Strand SL 19° 600w	-
13.1	(11)	-	-/-	-	2.6	-
19	(19)	1.19	-/-	AREA 1	Strand SL 36° 600w	-
20	(20)	1.20	-/-	AREA 2	Strand SL 36° 600w	-
21	(21)	1.21	-/-	SP	Strand SL 36° 600w	-
22	(2.52)	2.52	-/-	AREA 3	Ovation E 160WW 14° 103w	-
23	(2.53)	2.53	-/-	AREA 4	Ovation E 160WW 14° 103w	-
24	(2.54)	2.54	-/-	AREA 5	Ovation E 160WW 14° 103w	-

STORAGE

<u>U#</u>	<u>Chan</u>	<u>Addr</u>	<u>Ckt</u>	<u>Purpose</u>	<u>Inst/Access/Watt</u>	<u>Color/Tmp</u>
1 STO RAGE	(-)	-	-/-	-	Strand SL 36° 600w	-
1 STO RAGE	(-)	-	-/-	-	Strand SL 50° 600w	-
5 STO RAGE	(-)	-	-/-	-	Strand SL 19° 600w	-
7 STO RAGE	(-)	-	-/-	-	Strand Fresnelite 6" 500w	-

TOTALS

PRINCE GEORGE PLAYHOUSE
PRINCE GEORGE BC

PLAYHOUSE 2022 729-22 (6)

<u>Inst Type</u>	<u>Frame Size</u>	<u>Total</u>
Source-4 36° 575w	6.25" x 6.25"	2
Ovation E 160WW 14° 103w	7.5" x 7.5"	6
Strand SL 19° 575w	6.25" x 6.25"	13
Strand SL 26° 600w	6.25" x 6.25"	1
Strand SL 36° 575w	6.25" x 6.25"	12
Strand SL 50° 600w	6.25" x 6.25"	4
Strand Fresnelite 6" 500w	7.5" x 7.5"	16
S4 PAR VN5P 575w	7.5" x 7.5"	8
Far CYC 1 Cell 1Kw	12" x 10"	9
2.6	N/A	2
2.24	N/A	8

<u>Color</u>	<u>Frame Size</u>	<u>Total Cuts</u>	<u>Total Sheets</u>
2.21	7.5"	1	1
2.22	7.5"	1	1
2.23	7.5"	1	1
2.24	7.5"	1	1
2.25	7.5"	1	1
2.26	7.5"	1	1
2.27	7.5"	1	1
2.28	7.5"	1	1
R 27	12"	3	2
R 80	12"	3	2
R 91	12"	3	2